ELSEVIER

Journal of Statistical Planning and Inference 94 (2001) 429–430

journal of statistical planning and inference

www.elsevier.com/locate/jspi

Author Index Volume 94 (2001)*

Aickin, M., Randomization, balance, and the validity and efficiency of design-adaptive allocation methods	(1)	97–119
Bennett, F.E., Recent progress on the existence of perfect Mendelsohn designs	(2)	121–138
Berger, J., Why *should* clinicians care about Bayesian methods?	(1)	65– 67
Buratti, M., Constructions for point-regular linear spaces	(2)	139–146
Cao, Z., On Whiteman's and Storer's difference sets	(2)	147–154
Chang, Y., On the existence of BIB designs with large λ	(2)	155–165
Chaudhuri, A., Using randomized response from a complex survey to estimate a sensitive proportion in a dichotomous finite population	(1)	37– 42
Chen, W. and T. Kløve, Weight hierarchies of linear codes of dimension 3	(2)	167–179
Chu, W., New constructions of simple and indecomposable 1-factorizations of complete multigraphs	(2)	181–196
Fu, F.-W. and S.-Y. Shen, An upper bound for binary constant weight codes	(2)	197–203
Fu, F.-W. and S.-Y. Shen, On the nonperiodic cyclic equivalence classes of Hamming codes and BCH codes	(2)	205–209
Ge, G., Existence of holey LSSOM of type 2^n with application to G-packings of K_v	(2)	211–218
Ge, G., On the existence of Room frames of type $2^n u^1$	(2)	219–230
Goldstein, M., Avoiding foregone conclusions: geometric and foundational analysis of paradoxes of finite additivity	(1)	73– 87
Guo, H. and T. Huang, Some classes of four-weight spin models	(2)	231–247
Huang, T., *see* H. Guo	(2)	231–247
Kadane, J.B., M.J. Schervish and T. Seidenfeld, Goldstein's dilemma: require countable additivity or abandon "prevision of prevision"	(1)	89– 91
Kageyama, S. and Y. Miao, Existence of nested designs with block size five	(2)	249–254
Kløve, T. and Y.V. Svirid, Diffuse difference triangle sets	(2)	255–276
Kløve, T., *see* W. Chen	(2)	167–179
Lindley, D.V., Why *should* clinicians care about Bayesian methods?	(1)	59– 60
Lu, Y. and B. Storer, A tampered Brownian motion process model for partial step-stress accelerated life testing	(1)	15– 24
Matthews, R.A.J., Why *should* clinicians care about Bayesian methods?	(1)	43– 58
Matthews, R.A.J., Author's response	(1)	69– 71
Miao, Y., *see* S. Kageyama	(2)	249–254
Pavčević, M.-O., On symmetric (69,17,4)-designs admitting an action of Frobenius groups	(2)	277–285
Pei, H., *see* Y. Xu	(2)	381–391
Pellikaan, R., On the existence of order functions	(2)	287–301
Qiu, W., A theorem for studying the Multiplier Conjecture and its applications	(2)	303–312
Sasieni, P., Why *should* clinicians care about Bayesian methods?	(1)	61– 63
Schervish, M.J., *see* J.B. Kadane	(1)	89– 91
Schott, J.R., Some tests for the equality of covariance matrices	(1)	25– 36
Seidenfeld, T., *see* J.B. Kadane	(1)	89– 91
Shen, H., Intersections of Kirkman triple systems	(2)	313–325
Shen, H., *see* S. Tang	(2)	327–333

*The issue number is given in front of page numbers

Elsevier Science B.V.
PII: S0378-3758(01)00070-2

Shen, S.-Y., *see* F.-W. Fu	(2)	197–203
Shen, S.-Y., *see* F.-W. Fu	(2)	205–209
Storer, B., *see* Y. Lu	(1)	15– 24
Sudderth, W., Comments on "Avoiding foregone conclusions: geometric and foundational analysis of paradoxes of finite additivity"	(1)	93– 95
Svirid, Y.V., *see* T. Kløve	(2)	255–276
Tang, S. and H. Shen, Embeddings of nearly Kirkman triple systems	(2)	327–333
Thas, J.A., Flocks and partial flocks of quadrics: a survey	(2)	335–348
Wei, H. and X. Zheng, The number of solutions to the bilinear matrix equation over a finite field	(2)	359–369
Wei, H. and Y. Zhang, The number of solutions to the alternate matrix equation over a finite field and a q-identity	(2)	349–358
Witkovský, V., On the exact computation of the density and of the quantiles of linear combinations of t and F random variables	(1)	1– 13
Xin, D., Analytic approach to coset-leader decoding leads to extension of the Welch–Berlekamp theorem	(2)	371–380
Xu, Y. and H. Pei, Existence of frame SOLS of type $a^n b^1$ for odd n	(2)	381–391
Yin, J., Packing designs with equal-sized holes	(2)	393–403
Zhang, S., Existence of certain class of duadic group algebra codes	(2)	405–411
Zhang, Y., *see* H. Wei	(2)	349–358
Zhang, Z.Z., A relation between the average Hamming distance and the average Hamming weight of binary codes	(2)	413–419
Zheng, X., *see* H. Wei	(2)	359–369
Zhu, L., A class of doubly resolvable GDDs from Baer subplanes	(2)	421–427